


PILOT BORED V-BELT PULLEYS

SPB/1


Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB56-1	56	63	1	45	45			25	1	10	0.55
SPB60-1	60	67	1	45	45			25	1	10	0.60
SPB63-1	63	70	1	45	45			25	1	10	0.65
SPB65-1	65	72	1	45	45			25	1	10	0.69
SPB70-1	70	77	1	45	45			25	1	10	0.77
SPB71-1	71	78	1	45	45			25	1	10	0.78
SPB75-1	75	82	1	45	45			25	1	10	0.86
SPB80-1	80	87	1	50	45			25	1	10	1.01
SPB85-1	85	92	1	50	45			25	1	10	1.10
SPB90-1	90	97	1	50	45			25	1	10	1.24
SPB95-1	95	102	1	50	45			25	1	10	1.37
SPB100-1	100	107	1	52	45			25	1	10	1.48
SPB106-1	106	113	1	52	45			25	1	15	1.83
SPB112-1	112	119	1	55	45			25	1	15	1.83
SPB118-1	118	125	1	55	45			25	1	15	2.00
SPB120-1	120	127	1	55	45			25	1	15	2.06
SPB125-1	125	132	1	58	45			25	1	15	2.26
SPB130-1	130	137	1	60	45			25	1	15	2.46
SPB132-1	132	139	1	60	45			25	1	15	2.55
SPB140-1	140	147	1	65	45			25	1	20	2.84
SPB150-1	150	157	1	65	45			25	1	20	3.21
SPB160-1	160	167	1	65	45	118	12	25	3	20	2.93
SPB170-1	170	177	1	65	45	128	12	25	3	20	3.25
SPB180-1	180	187	1	65	45	138	12	25	3	20	3.48
SPB190-1	190	197	1	65	45	148	12	25	3	20	3.77
SPB200-1	200	207	1	70	45	158	14	25	3	20	4.47
SPB212-1	212	219	1	70	45	170	14	25	3	20	4.89
SPB224-1	224	231	1	70	45	183	14	25	3	20	5.28
SPB225-1	225	232	1	70	45	184	14	25	3	20	5.25
SPB230-1	230	237	1	70	45	188	14	25	3	20	6.00
SPB250-1	250	257	1	70	50	208	14	25	3	20	6.52
SPB280-1	280	287	1	76	50	238	14	25	3	20	8.08

TYPE 5




SPB/1

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB300-1	300	307	1	76	50	258	15	25	5	20	5.98
SPB315-1	315	322	1	76	50	273	15	25	5	20	6.25
SPB355-1	355	362	1	80	50	313	15	25	5	20	7.85
SPB400-1	400	407	1	85	55	358	18	25	5	20	10.50
SPB450-1	450	457	1	90	60	408	18	25	5	20	12.80
SPB500-1	500	507	1	100	60	458	18	25	5	25	14.10
SPB560-1	560	567	1	100	60	518	18	25	5	25	17.00
SPB600-1	600	607	1	100	60	558	18	25	5	25	17.75
SPB630-1	630	637	1	100	60	588	18	25	5	25	19.85




SPB/2

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB56-2	56	63	2	45	55			44	1	10	0.62
SPB60-2	60	67	2	45	55			44	1	10	0.74
SPB63-2	63	70	2	45	55			44	1	10	0.84
SPB65-2	65	72	2	45	55			44	1	10	0.88
SPB70-2	70	77	2	45	55			44	1	10	1.03
SPB71-2	71	78	2	45	55			44	1	10	1.06
SPB75-2	75	82	2	45	55			44	1	10	1.18
SPB80-2	80	87	2	50	55			44	1	10	1.37
SPB85-2	85	92	2	50	55			44	1	10	1.54
SPB90-2	90	97	2	50	55			44	1	10	1.73
SPB95-2	95	102	2	55	55			44	1	15	1.95
SPB100-2	100	107	2	55	55			44	1	15	2.17
SPB106-2	106	113	2	55	55			44	1	15	2.45
SPB112-2	112	119	2	60	55			44	1	15	2.77
SPB118-2	118	125	2	60	55			44	1	15	3.07
SPB120-2	120	127	2	60	55			44	1	15	3.16
SPB125-2	125	132	2	60	55			44	1	15	3.47
SPB130-2	130	137	2	60	55			44	1	15	3.75
SPB132-2	132	139	2	60	55			44	1	15	3.88
SPB140-2	140	147	2	65	55			44	1	20	4.36
SPB150-2	150	157	2	65	55			44	1	20	4.99
SPB160-2	160	167	2	70	55	118	12	44	3	20	4.19
SPB170-2	170	177	2	70	55	128	12	44	3	20	4.48
SPB180-2	180	187	2	70	55	138	12	44	3	20	4.82
SPB190-2	190	197	2	70	55	148	12	44	3	20	7.88
SPB200-2	200	207	2	70	55	158	12	44	3	20	5.66
SPB212-2	212	219	2	77	55	170	14	44	3	20	6.58
SPB224-2	224	231	2	77	55	183	14	44	3	20	7.03
SPB225-2	225	232	2	77	55	184	14	44	3	20	7.07
SPB236-2	236	243		77	55	194	14	44	3	20	8.40
SPB240-2	240	247	2	77	55	198	14	44	3	20	7.92
SPB250-2	250	257	2	77	55	208	14	44	3	20	8.30



SPB/2


Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB260-2	260	267	2	77	55	218	14	44	3	20	8.80
SPB280-2	280	287	2	80	55	238	14	44	3	20	10.50
SPB300-2	300	307	2	80	55	258	15	44	5	20	8.20
SPB315-2	315	322	2	88	60	273	15	44	5	20	9.36
SPB355-2	355	362	2	88	60	313	15	44	5	20	10.72
SPB400-2	400	407	2	88	60	358	18	44	5	20	13.40
SPB450-2	450	457	2	90	60	408	18	44	5	20	14.20
SPB500-2	500	507	2	100	65	458	20	44	5	25	18.84
SPB560-2	560	567	2	100	65	518	20	44	5	25	22.00
SPB630-2	630	637	2	100	65	588	20	44	5	25	25.20



PILOT BORED
V-BELT PULLEYS


SPB/3

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB50-3	50	57	3					63	7	10	0.60
SPB56-3	56	63	3					63	7	10	0.80
SPB63-3	63	70	3					63	7	15	0.94
SPB70-3	70	77	3					63	7	15	1.21
SPB71-3	71	78	3					63	7	15	1.25
SPB75-3	75	82	3					63	7	15	1.43
SPB80-3	80	87	3					63	7	15	1.67
SPB85-3	85	92	3					63	7	15	1.94
SPB90-3	90	97	3					63	7	15	2.15
SPB95-3	95	102	3					63	7	15	2.47
SPB100-3	100	107	3					63	7	15	2.78
SPB106-3	106	113	3					63	7	15	3.17
SPB112-3	112	119	3					63	7	15	3.58
SPB118-3	118	125	3					63	7	15	4.03
SPB120-3	120	127	3					63	7	15	4.22
SPB125-3	125	132	3		60	83		63	2	15	4.47
SPB130-3	130	137	3		60	86		63	2	15	4.86
SPB132-3	132	139	3		60	88		63	2	15	5.03
SPB140-3	140	147	3		60	98		63	2	20	5.69
SPB150-3	150	157	3		60	108		63	2	20	6.60
SPB160-3	160	167	3		60	118		63	2	20	7.50
SPB170-3	170	177	3	70	60	128	30	63	4	20	6.67
SPB180-3	180	187	3	80	60	138	18	63	4	20	6.88
SPB190-3	190	197	3	80	60	148	18	63	4	20	6.28
SPB200-3	200	207	3	80	60	158	18	63	4	20	7.88
SPB212-3	212	219	3	80	60	170	18	63	4	20	8.63
SPB224-3	224	231	3	80	60	183	18	63	4	20	9.20
SPB225-3	225	232	3	80	60	184	18	63	4	20	9.31
SPB236-3	236	243	3	80	60	194	18	63	4	20	10.17
SPB240-3	240	247	3	80	60	198	18	63	4	20	10.26
SPB250-3	250	257	3	80	60	208	18	63	4	20	10.92



SPB/3

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB280-3	280	287	3	90	60	238	18	63	4	20	12.95
SPB300-3	300	307	3	90	60	258	18	63	6	20	11.21
SPB315-3	315	322	3	90	60	273	18	63	6	20	11.78
SPB335-3	335	342	3	92	60	293	18	63	6	25	14.00
SPB355-3	355	362	3	92	60	313	18	63	6	25	14.12
SPB375-3	375	382	3	92	60	333	18	63	6	25	14.70
SPB400-3	400	407	3	96	65	358	22	63	5	25	18.13
SPB425-3	425	432	3	96	65	383	22	63	5	20	22.30
SPB450-3	450	457	3	96	65	408	22	63	5	25	23.50
SPB500-3	500	507	3	104	75	458	24	63	5	25	25.30
SPB560-3	560	567	3	104	75	518	24	63	5	25	28.60
SPB600-3	600	607	3	104	75	558	24	63	5	25	32.00
SPB630-3	630	637	3	105	75	588	26	63	5	25	34.80



SPB/4


Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB71-4	71	78	4					82	7	15	1.60
SPB80-4	80	87	4					82	7	15	2.10
SPB85-4	85	92	4					82	7	15	2.50
SPB90-4	90	97	4					82	7	15	2.80
SPB95-4	95	102	4					82	7	15	3.20
SPB100-4	100	107	4					82	7	15	3.60
SPB106-4	106	113	4					82	7	15	4.08
SPB112-4	112	119	4					82	7	20	4.57
SPB118-4	118	125	4					82	7	20	5.12
SPB120-4	120	127	4					82	7	20	5.30
SPB125-4	125	132	4		60	83		82	2	20	5.00
SPB132-4	132	139	4		60	88		82	2	20	5.66
SPB140-4	140	147	4		60	98		82	2	20	6.38
SPB150-4	150	157	4		60	108		82	2	20	7.31
SPB160-4	160	167	4		60	118		82	2	20	8.39
SPB170-4	170	177	4	70	60	128	30	82	4	20	7.51
SPB180-4	180	187	4	80	60	138	30	82	4	20	8.57
SPB200-4	200	207	4	88	60	158	25	82	4	20	10.06
SPB212-4	212	219	4	88	60	170	25	82	4	20	10.92
SPB224-4	224	231	4	88	60	183	25	82	4	20	11.77
SPB225-4	225	232	4	88	60	184	25	82	4	20	11.88
SPB236-4	236	243	4	88	60	194	25	82	4	20	12.50
SPB240-4	240	247	4	96	65	198	25	82	4	25	13.67
SPB250-4	250	257	4	96	65	208	25	82	4	25	14.46
SPB280-4	280	287	4	96	65	238	25	82	4	25	16.60
SPB300-4	300	307	4	96	65	258	20	82	6	25	13.67
SPB315-4	315	322	4	96	65	273	20	82	6	25	14.36
SPB335-4	335	342	4	96	65	293	20	82	6	25	19.89
SPB355-4	355	362	4	96	65	313	20	82	6	25	18.00
SPB400-4	400	407	4	104	75	358	24	82	6	25	22.00
SPB425-4	425	432	4	104	75	383	24	82	6	25	32.80
SPB450-4	450	457	4	104	75	408	24	82	6	25	24.90
SPB500-4	500	507	4	112	85	458	28	82	5	25	31.00
SPB560-4	560	567	4	112	85	518	28	82	5	25	36.00
SPB600-4	600	607	4	115	85	558	28	82	5	25	39.00
SPB630-4	630	637	4	120	85	588	28	82	5	25	41.00

SPB/5

SPB(P.61~P.69)




PILOT BORED
V-BELT PULLEYS



SPB/5

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB80-5	80	87	5					101	7	15	2.62
SPB85-5	85	92	5					101	7	15	3.00
SPB90-5	90	97	5					101	7	15	3.50
SPB95-5	95	102	5					101	7	15	3.90
SPB100-5	100	107	5					101	7	15	4.36
SPB106-5	106	113	5					101	7	20	5.10
SPB112-5	112	119	5					101	7	20	5.62
SPB118-5	118	125	5					101	7	20	6.32
SPB120-5	120	127	5					101	7	20	7.50
SPB125-5	125	132	5		60	83		101	2	20	5.70
SPB132-5	132	139	5		60	88		101	2	20	6.34
SPB140-5	140	147	5		60	98		101	2	20	7.02
SPB150-5	150	157	5		60	108		101	2	20	8.12
SPB160-5	160	167	5		60	118		101	2	20	9.25
SPB170-5	170	177	5	70	60	128	30	101	4	20	8.35
SPB180-5	180	187	5	80	70	138	30	101	4	20	10.56
SPB190-5	190	197	5	90	70	148	30	101	4	20	11.50
SPB200-5	200	207	5	96	70	158	30	101	4	25	12.76
SPB212-5	212	219	5	96	70	170	30	101	4	25	13.42
SPB224-5	224	231	5	96	70	183	25	101	4	25	13.75
SPB236-5	236	243	5	96	70	194	25	101	4	25	15.50
SPB250-5	250	257	5	104	75	208	25	101	4	25	16.85
SPB280-5	280	287	5	104	75	238	25	101	4	25	19.74
SPB300-5	300	307	5	104	75	258	22	101	6	25	16.93
SPB315-5	315	322	5	104	75	273	22	101	6	25	17.66
SPB335-5	335	342	5	104	75	313	22	101	6	25	22.48
SPB355-5	355	362	5	104	75	313	22	101	6	25	21.40
SPB400-5	400	407	5	112	85	358	26	101	6	25	26.30
SPB450-5	450	457	5	112	85	408	26	101	6	25	30.00
SPB500-5	500	507	5	120	90	458	30	101	6	25	35.00
SPB560-5	560	567	5	120	90	518	30	101	6	25	37.00
SPB600-5	600	607	5	120	90	558	30	101	6	25	42.00
SPB630-5	630	637	5	128	90	588	30	101	6	25	45.00



PILOT BORED
V-BELT PULLEYS

SPB/6

Product Model	P	O	Grooves	N	L	D	S	B	TYPE	d (H9)	Weight (Kg)
SPB100-6	100	107	6					120	7	20	5.07
SPB106-6	106	113	6					120	7	20	5.80
SPB112-6	112	119	6					120	7	20	6.50
SPB118-6	118	125	6					120	7	20	7.39
SPB120-6	120	127	6					120	7	20	8.00
SPB125-6	125	132	6		60	83		120	2	20	6.24
SPB132-6	132	139	6		60	88		120	2	20	7.08
SPB140-6	140	147	6		60	98		120	2	20	8.00
SPB150-6	150	157	6		60	108		120	2	20	8.90
SPB160-6	160	167	6		65	118		120	2	20	10.38
SPB170-6	170	177	6	70	65	128	40	120	4	20	12.70
SPB180-6	180	187	6	80	70	138	40	120	4	20	12.99
SPB190-6	190	197	6	85	70	148	40	120	4	20	13.50
SPB200-6	200	207	6	96	70	158	40	120	4	25	14.29
SPB212-6	212	219	6	104	80	170	35	120	4	25	14.91
SPB224-6	224	231	6	104	80	183	30	120	4	25	16.65
SPB236-6	236	243	6	104	80	194	30	120	4	25	17.50
SPB250-6	250	257	6	104	80	208	25	120	4	25	18.82
SPB280-6	280	287	6	104	80	238	25	120	4	25	22.00
SPB300-6	300	307	6	104	80	258	24	120	6	25	21.00
SPB315-6	315	322	6	120	90	273	24	120	6	25	22.30
SPB355-6	355	362	6	120	90	313	24	120	6	25	24.95
SPB400-6	400	407	6	120	100	358	28	120	6	25	31.00
SPB450-6	450	457	6	120	100	408	28	120	6	25	36.00
SPB500-6	500	507	6	128	105	458	33	120	6	25	45.00
SPB560-6	560	567	6	128	105	518	33	120	6	25	47.00
SPB600-6	600	607	6	129	105	558	33	120	6	25	49.05
SPB630-6	630	637	6	140	105	588	33	120	6	25	53.00